

<?xml version="1.0"?>

-<tsf:Header tsf:MessageId="16e34f06-85d4-404a-ade3-2179cda146e7" tsf:CreationDate="2021-08-12T11:52:52+01:00" tsf:Seq="1" tsf:EndDate="2021-06-03" tsf:StartDate="2021-06-01" tsf:TypeECCalc="INIT" tsf:SupplierId="5499900811109" tsf:SenderId="5414488001308" xsi:schemaLocation="http://www.fluvius.be/msg/fluvius/ec/TimeSeriesFile ECTimeSeriesFile.xsd" xmlns:ts="http://www.fluvius.be/msg/fluvius/ec/TimeSeries" xmlns:tsf="http://www.fluvius.be/msg/fluvius/ec/TimeSeriesFile" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">

-<tsf:Participant ts:EndDate="2021-06-03" ts:StartDate="2021-06-01" ts:EAN="54144886000000011" ts:ECId="EC1303">

-<ts:MeterReadings15min ts:Unit="KW" ts:RegisterID="correctie_injectie" ts:LogDate="2021-06-01">

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T01:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T01:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T01:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T01:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T02:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T02:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T02:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T02:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T03:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T03:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T03:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T03:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T04:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T04:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T04:30:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T04:45:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T05:00:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T05:15:00+01:00"/>

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T17:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T17:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T17:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T18:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T18:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T18:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T18:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T19:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T19:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T19:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T19:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T20:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T20:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T20:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T20:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T21:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T21:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T21:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T21:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T22:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T22:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T22:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-03T22:45:00+01:00"/>
</ts:MeterReadings15min>

</tsf:Participant>

-<tsf:Participant ts:EndDate="2021-06-01" ts:StartDate="2021-06-01" ts:EAN="541448860000000028" ts:ECId="EC1303">

-<ts:MeterReadings15min ts:Unit="KW" ts:RegisterID="correctie_afname" ts:LogDate="2021-06-01">

<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-31T23:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:00:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:15:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:30:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-01T00:45:00+01:00"/>
<ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-


```
01T18:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T18:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T18:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T19:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T19:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T19:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T19:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T20:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T20:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T20:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T20:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T21:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T21:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T21:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T21:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T22:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T22:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T22:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T22:45:00+01:00"/>
  </ts:MeterReadings15min>
</tsf:Participant>

-<tsf:Participant ts:EndDate="2021-06-03" ts:StartDate="2021-06-01" ts:EAN="541448860000000035"
ts:ECId="EC1303">
-<ts:MeterReadings15min ts:Unit="KW" ts:RegisterID="correctie_afname" ts:LogDate="2021-06-01">
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-
31T23:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-
31T23:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-
31T23:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-05-
31T23:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T00:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T00:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T00:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T00:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T01:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T01:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T01:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T01:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
01T02:00:00+01:00"/>
```



```
03T22:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T22:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T22:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T22:45:00+01:00"/>
  </ts:MeterReadings15min>
</tsf:Participant>

-<tsf:Participant ts:EndDate="2021-06-03" ts:StartDate="2021-06-03" ts:EAN="541448860000000042"
ts:ECId="EC1303">
-<ts:MeterReadings15min ts:Unit="KW" ts:RegisterID="correctie_afname" ts:LogDate="2021-06-03">

  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
02T23:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
02T23:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
02T23:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
02T23:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T00:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T00:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T00:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T00:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T01:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T01:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T01:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T01:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T02:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T02:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T02:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T02:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T03:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T03:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T03:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T03:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T04:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T04:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T04:30:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T04:45:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T05:00:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T05:15:00+01:00"/>
  <ts:Reading ts:Changed="false" ts:Value="0.000000" ts:StartTime="2021-06-
03T05:30:00+01:00"/>
```


</ts:MeterReadings15min>

</tsf:Participant>

</tsf:Header>